

NEW ENGLAND MOULDING PATTERNS



Rec'd
3-9-39



PUBLISHED BY THE
ARKANSAS SOFT PINE BUREAU
LITTLE ROCK, ARKANSAS

NEW ENGLAND MOULDING PATTERNS

This book contains casing, base and moulding patterns, etc., most frequently required by the New England lumber trade as reflected in orders placed with the manufacturers of Arkansas Soft Pine.

As the use of this First Edition may disclose omission of other patterns which rightfully belong in this compilation, they will be added in subsequent editions. To that end, the trade is invited to request such additions whenever occasion arises.

★ ★ ★

LIST PRICES

To figure prices on all patterns herein, apply the 8000 Moulding Book basic list price (see Page 13) according to respective corresponding size. Where pattern sizes in this book are not identical with listed 8000 sizes, use next larger 8000 size list price.

COPYRIGHT 1937

ARKANSAS SOFT PINE BUREAU, LITTLE ROCK, ARKANSAS

$3/4" \times 4\frac{1}{4}" \& 4\frac{1}{2}"$ CASINGS.

A-101

ALL $\frac{3}{4}"$

A-102

 $\frac{1}{8}"$

A-103

 $\frac{1}{8}"$

A-104

 $2\frac{7}{8}" R$ $\frac{3}{8}"$ $\frac{7}{8}"$ $\frac{5}{32}"$

A-105

 $2\frac{7}{8}" R$ $\frac{3}{8}"$ $\frac{7}{8}"$ $\frac{5}{32}"$

A-106


 $1\frac{9}{16}" R$ $\frac{5}{16}"$ $\frac{7}{8}"$ $\frac{5}{32}"$

A-107

 $1\frac{3}{8}" R$ $\frac{5}{32}"$ $\frac{1}{4}"$ $\frac{3}{4}"$ $\frac{5}{16}"$


A-108












 $1\frac{3}{8}" R$ $\frac{5}{16}"$ $\frac{1}{4}"$ $\frac{5}{8}"$ $\frac{1}{4}"$









$\frac{3}{4}'' \times 4\frac{1}{4}'' \& 4\frac{1}{2}''$ CASINGS



THE ARKANSAS SOFT PINE BUREAU

$3/4" \times 2\frac{3}{4}"$, $3\frac{1}{4}"$, $3\frac{1}{2}"$ & $3\frac{5}{8}"$ APRONS.














$\frac{3}{4}'' \times 3\frac{5}{8}''$, 4", 4 $\frac{1}{4}''$ & 4 $\frac{1}{2}''$ - STOOLS










MULLION CASINGS
















A-1008
1 5/8 x 6 3/4"
BEVELED STOOL




A-1009
1 5/8 x 7 1/2"
BEVELED STOOL









A-1201
1 1/16" x 3 1/4" FACE C.M.
BOSTON "V" CEILING



A-1202
3/4" x 3 1/2", 4 1/2" & 5 1/2"
INSIDE THRESHOLD




A-1205
1" x 1 1/32 x 1"




A-1204
25/32" x 3 5/8", 3 1/16" & 3 3/4"
APRON


HOLLOW BACK FOR CASING




NECK




FILLET




A-1208
3/8" x 1 5/8"



A-1210
5/8" x 2 3/4"
CHAIR RAIL



PANEL



A-1212
1/2" x 2 1/4"
STOP

8000 MOULDING BOOK BASIC LIST

Prices Quoted Are Per 100 Lineal Feet

| SIZE | BASE PRICE | SIZE | BASE PRICE | SIZE | BASE PRICE |
|--------------|------------|----------------|------------|-----------------|------------|
| 1/4 x 3/8 | \$1.00 | 5/8 x 3/4 | \$1.00 | 3/4 x 5 1/2 | \$6.50 |
| 1/4 x 7/16 | 1.00 | 5/8 x 7/8 | 1.00 | 3/4 x 5 3/4 | 6.50 |
| 1/4 x 1/2 | 1.00 | 5/8 x 1 1/4 | 1.50 | 3/4 x 7 1/4 | 8.00 |
| 1/4 x 3/4 | .80 | 5/8 x 2 1/4 | 2.50 | 1 3/16 x 2 1/2 | 2.75 |
| 5/16 x 5/8 | 1.00 | 5/8 x 2 1/2 | 2.75 | 1 3/16 x 3 | 3.25 |
| 5/16 x 1 1/8 | 1.00 | 5/8 x 2 3/4 | 3.00 | 1 x 1 | 2.25 |
| 5/16 x 1 3/8 | 1.00 | 5/8 x 3 1/2 | 4.00 | 1 x 1 1/2 | 2.90 |
| 5/16 x 1 3/4 | 1.40 | 5/8 x 3 5/8 | 4.20 | 1 1/16 x 1 1/16 | 2.35 |
| 5/16 x 2 1/4 | 1.75 | 1 1/16 x 1 3/8 | 1.75 | 1 1/16 x 1 5/16 | 3.15 |
| 3/8 x 7/16 | 1.00 | 3/4 x 1/2 | 1.00 | 1 1/16 x 1 5/8 | 3.55 |
| 3/8 x 5/8 | .80 | 3/4 x 3/4 | 1.00 | 1 1/16 x 1 3/4 | 3.30 |
| 3/8 x 1/2 | 1.00 | 3/4 x 7/8 | 1.00 | 1 1/16 x 2 | 3.75 |
| 3/8 x 1 1/16 | 1.00 | 3/4 x 1 | 1.25 | 1 1/16 x 2 1/4 | 4.15 |
| 3/8 x 3/4 | .80 | 3/4 x 1 1/16 | 1.50 | 1 1/16 x 2 1/2 | 4.55 |
| 3/8 x 7/8 | 1.00 | 3/4 x 1 1/8 | 1.25 | 1 1/16 x 2 5/8 | 5.00 |
| 3/8 x 1 | 1.25 | 3/4 x 1 1/4 | 1.50 | 1 1/16 x 3 | 5.40 |
| 3/8 x 1 1/8 | 1.10 | 3/4 x 1 3/8 | 1.75 | 1 1/16 x 3 1/4 | 5.80 |
| 3/8 x 1 3/8 | 1.10 | 3/4 x 1 1/2 | 1.75 | 1 1/16 x 3 1/2 | 6.20 |
| 3/8 x 1 5/8 | 1.40 | 3/4 x 1 5/8 | 2.15 | 1 1/16 x 3 5/8 | 6.60 |
| 3/8 x 1 7/8 | 1.60 | 3/4 x 1 3/4 | 2.25 | 1 1/16 x 4 1/4 | 8.25 |
| 3/8 x 2 1/4 | 1.80 | 3/4 x 1 7/8 | 2.25 | 1 1/16 x 4 1/2 | 8.25 |
| 7/16 x 9/16 | 1.00 | 3/4 x 2 | 2.25 | 1 1/16 x 5 | 9.10 |
| 7/16 x 3/4 | 1.00 | 3/4 x 2 1/8 | 2.75 | 1 1/16 x 5 5/8 | 9.90 |
| 7/16 x 1 1/8 | 1.10 | 3/4 x 2 1/4 | 2.75 | 1 5/16 x 1 5/16 | 5.00 |
| 7/16 x 1 1/4 | 1.20 | 3/4 x 2 3/8 | 2.75 | 1 5/16 x 2 | 4.50 |
| 1/2 x 1/2 | 1.00 | 3/4 x 2 1/2 | 2.75 | 1 5/16 x 2 1/4 | 5.00 |
| 1/2 x 9/16 | 1.00 | 3/4 x 2 3/4 | 3.25 | 1 5/16 x 2 3/8 | 5.50 |
| 1/2 x 3/4 | 1.00 | 3/4 x 3 | 3.25 | 1 5/16 x 2 1/2 | 5.50 |
| 1/2 x 7/8 | 1.00 | 3/4 x 3 1/4 | 3.50 | 1 5/16 x 3 1/4 | 7.00 |
| 1/2 x 1 | 1.25 | 3/4 x 3 1/2 | 3.75 | 1 5/16 | 3.50 |
| 1/2 x 1 1/8 | 1.25 | 3/4 x 3 5/8 | 4.20 | 1 5/8 x 1 5/8 | 5.50 |
| 1/2 x 1 3/8 | 1.50 | 3/4 x 4 1/8 | 4.75 | 1 5/8 x 2 | 6.20 |
| 1/2 x 1 5/8 | 2.00 | 3/4 x 4 1/4 | 5.00 | 1 5/8 x 2 1/8 | 6.90 |
| 1/2 x 1 7/8 | 2.25 | 3/4 x 4 1/2 | 5.25 | 1 5/8 x 2 1/2 | 7.60 |
| 1/2 x 2 1/4 | 2.75 | 3/4 x 4 5/8 | 5.50 | 1 5/8 x 2 5/8 | 8.25 |
| 9/16 x 7/8 | 1.00 | 3/4 x 4 3/4 | 6.00 | 1 5/8 x 3 | 8.95 |
| 9/16 x 1 1/8 | 1.25 | 3/4 x 5 | 6.00 | 1 5/8 x 3 5/8 | 10.50 |
| 9/16 x 2 | 2.25 | 3/4 x 5 1/4 | 6.00 | 1 5/8 x 4 | 12.40 |
| 5/8 x 5/8 | 1.00 | 3/4 x 5 7/16 | 6.00 | 2 5/8 x 2 5/8 | 19.80 |

For Figuring Price on Special Mouldings Not in This Book.

STANDARD MOULDING LIST.

LIST PRICES PER 100 LINEAL FEET

| $\frac{3}{4}$ inch Stops | $\frac{1}{2}$ inch Stops | Width Inches | $\frac{3}{4}$ inch Thick | $1\frac{1}{8}$ inch Thick | $1\frac{1}{4}$ inch Thick | $1\frac{3}{4}$ inch Thick | $2\frac{1}{4}$ inch Thick | $2\frac{3}{4}$ inch Thick |
|---|-----------------------------|-----------------|-----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| \$1.00 | \$1.00 | $\frac{7}{8}$ | \$1.00 | | | | | |
| 1.00 | 1.25 | $1\frac{1}{8}$ | 1.25 | \$2.10 | | | | |
| 1.10 | 1.50 | $1\frac{1}{4}$ | 1.50 | 2.50 | | | | |
| 1.10 | 1.50 | $1\frac{3}{8}$ | 1.75 | 2.90 | \$3.50 | | | |
| 1.40 | 1.75 | $1\frac{1}{2}$ | 1.75 | 2.90 | 3.50 | | | |
| 1.40 | 2.00 | $1\frac{3}{4}$ | 2.00 | 3.30 | 4.00 | \$5.50 | | |
| 1.60 | 2.25 | 2 | 2.25 | 3.75 | 4.50 | 6.20 | | |
| 1.80 | 2.50 | $2\frac{1}{4}$ | 2.50 | 4.15 | 5.00 | 6.90 | \$13.75 | |
| 2.00 | 2.75 | $2\frac{1}{2}$ | 2.75 | 4.55 | 5.50 | 7.60 | 15.15 | |
| | | $2\frac{3}{4}$ | 3.00 | 5.00 | 6.00 | 8.25 | 16.50 | \$19.80 |
| CASING & BASE $\frac{3}{4}$ -in. thick See Note A | 3 | 3.25 | 5.40 | 6.50 | 8.95 | 17.90 | 21.45 | |
| | $3\frac{1}{4}$ | 3.50 | 5.80 | 7.00 | 9.65 | 19.25 | 23.10 | |
| | 4.20 | $3\frac{1}{2}$ | 3.75 | 6.20 | 7.50 | 10.30 | 20.65 | 24.75 |
| | 4.20 | $3\frac{5}{8}$ | 4.00 | 6.60 | 8.00 | 11.00 | 22.00 | 26.40 |
| | 4.50 | $3\frac{3}{4}$ | 4.25 | 6.60 | 8.00 | 11.00 | 22.00 | 26.40 |
| | 4.50 | 4 | 4.50 | 7.45 | 9.00 | 12.40 | 24.75 | 29.70 |
| | 5.00 | $4\frac{1}{4}$ | 4.75 | 7.85 | 9.50 | 13.05 | 26.15 | 31.35 |
| | 5.25 | $4\frac{1}{2}$ | 5.00 | 8.25 | 10.00 | 13.75 | 27.50 | 33.00 |
| | 6.00 | 5 | 5.50 | 9.10 | 11.00 | 15.15 | 30.25 | 36.30 |
| | 6.00 | $5\frac{1}{4}$ | 6.00 | 9.90 | 12.00 | 16.50 | 33.00 | 39.60 |
| | 6.50 | $5\frac{1}{2}$ | 6.00 | 9.90 | 12.00 | 16.50 | 33.00 | 39.60 |
| | 6.50 | $5\frac{3}{4}$ | 6.50 | 10.75 | 13.00 | 17.90 | 35.75 | 42.90 |
| | 7.00 | 6 | 6.50 | 10.75 | 13.00 | 17.90 | 35.75 | 42.90 |
| | 7.00 | $6\frac{1}{4}$ | 7.00 | 11.55 | 14.00 | 19.25 | 38.50 | 46.20 |
| | 8.00 | $6\frac{1}{2}$ | 7.00 | 11.55 | 14.00 | 19.25 | 38.50 | 46.20 |
| | 8.00 | 7 | 8.00 | 13.20 | 16.00 | 22.00 | 44.00 | 52.80 |
| | 8.00 | $7\frac{1}{4}$ | 8.00 | 13.20 | 16.00 | 22.00 | 44.00 | 52.80 |
| | 9.00 | $8\frac{1}{4}$ | 9.50 | 15.70 | 19.00 | 26.15 | 52.25 | 62.70 |
| | 10.00 | $8\frac{3}{4}$ | 9.50 | 15.70 | 19.00 | 26.15 | 52.25 | 62.70 |
| | 10.00 | $9\frac{1}{4}$ | 10.00 | 16.50 | 20.00 | 27.50 | 55.00 | 66.00 |
| | 12.00 | $10\frac{1}{2}$ | 12.00 | 19.80 | 24.00 | 33.00 | 66.00 | 79.20 |
| | 13.00 | $11\frac{1}{4}$ | 12.00 | 19.80 | 24.00 | 33.00 | 66.00 | 79.20 |

A — $\frac{3}{4}$ -inch head casing, side casing, apron, base, and jamb stock are figured on the $\frac{3}{4}$ -inch casing and base list.

B — Rabbeted moulding — add to list 25c.

C — Grooved plate rail — for each inch or fraction in width, add to list 25c.


D — Wider than listed sizes — combine the largest equal lists, the finished sizes of which equal the required width.

DETAILS FOR EASED EDGES *

SPECIFICATIONS FOR
ROUND EDGE - OVAL EDGE - ROUND CORNER


CROSS SECTIONS

ROUND EDGE




RADIUS OF CURVE = ONE HALF
THE THICKNESS OF MATERIAL.

OVAL EDGE




RADIUS OF CURVE = THREE FOURTHS
THE THICKNESS OF MATERIAL.

ROUND CORNER



RADIUS OF CURVE = $\frac{1}{8}$ " FOR MATERIAL
 $1\frac{1}{16}$ " AND LESS IN THICKNESS.

ROUND CORNER



RADIUS OF CURVE = $\frac{1}{4}$ " FOR MATERIAL
OVER $1\frac{1}{16}$ " IN THICKNESS.

* Standard working for eased edge dimension adopted by the Arkansas Soft Pine manufacturers. In ordering, specify radius of curve as given for each detail.

NEW ENGLAND MOULDING PATTERNS

SATIN - LIKE



INTERIOR TRIM

ARKANSAS Soft Pine attains its greatest degree of perfection in the South and West Central sections of the State for which it is named. Certain geological and climatic elements contribute to this condition—as, for example, soil properties, rainfall and drainage. The Arkansas Soft Pine Bureau is composed exclusively of manufacturers whose timber and saw mills are located in this identical region. The product of these companies whose names appear below, bears the registered trademark shown above. As a further identification and guarantee of standard quality, each piece of Arkansas Soft Pine is trademarked as indicated by the symbol below. In purchasing lumber and woodwork bearing these identifications, you assure yourself of accurate manufacture, scientific drying and seasoning, and merchandising methods adhering to the highest ethical standards.

GRADE



MARK

This Grade Mark Is Your Guarantee of Standard Quality Lumber and Woodwork.

ARKANSAS SOFT PINE BUREAU

Boyle Building, Little Rock, Arkansas

Comprising

BRADLEY LUMBER COMPANY of ARKANSAS
Warren, Arkansas

CADDY RIVER LUMBER CO.,

Glenwood, Arkansas

Sales Office: R. A. Long Building, Kansas City, Mo.

DIERKS LUMBER & COAL COMPANY,

Dierks, Arkansas

Sales Office: Dierks Building, Kansas City, Mo.

CROSSETT LUMBER CO.,

Crossett, Arkansas

FORDYCE LUMBER CO.,

Fordyce, Arkansas

SOUTHERN LUMBER CO.,

Warren, Arkansas

FROST LUMBER INDUSTRIES, INC.,

Shreveport, La.

Plant: Huttig, Arkansas

Combined annual production, 300,000,000 board feet.

This Book Designed and Compiled by

ROBERT H. BROOKS COMPANY

Advertising

LITTLE ROCK CHICAGO

Printed by

SHATTOCK & MCKAY CO

CHICAGO

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY
www.apti.org

For the
BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:



SOUTHEASTERN ARCHITECTURAL ARCHIVE
SPECIAL COLLECTIONS
HOWARD-TILTON MEMORIAL LIBRARY

<http://seaa.tulane.edu>

